



World Leader in Rating Technology

OFFSHORE RACING CONGRESS



ORC Race Management Guide 2023

Copyright © 2023 Offshore Racing Congress.

All rights reserved. Reproduction in whole or in part is only with the permission of the Offshore Racing Congress.

Cover picture: ORC World Championship 2022 – Studio Borlenghi

CONTENTS

1.	INTRODUCTION	4
2.	EVENT STRUCTURE	
2.1	Basics – overview	5
2.2	Committee structure	5
2.3	Notice of Race	5
2.4	Handling rating certificates.....	7
2.5	Entry organization	9
2.6	Sailing Instructions	10
3.	SCORING	
3.1	Scoring	12
3.2	Scoring options and the factors of choice	12
3.3	Single Number scoring options	12
3.4	Polar Curve Scoring	13
3.5	Custom-made Single Number scoring	18
3.6	National scoring options	18
3.7	Scoring software	18
	Windward/Leeward race scoring options flow chart	19
	Costal/Long Distance race scoring options flow chart	20
4.	RACE MANAGEMENT BEST PRACTICES	
4.1	Race Management Best Practices.....	21
4.2	Setting the course	21
4.3	Communication from the Race Committee	23
4.4	Time Limits	23
4.5	Recording finishes and publishing results	23
4.6	Measurement protests	24
4.7	Redress	25

1. INTRODUCTION

The Offshore Racing Congress (ORC) was born in 1969 when a need was identified by the Cruising Club of America and the Royal Ocean Racing Club to have a single rating rule system that could service the needs of offshore racing boats competing on both sides of the Atlantic. This was called the International Offshore Rule (IOR) and was the prevailing system used worldwide for decades, followed by the VPP-based IMS system in the mid-1980's and then since 2007 the current ORC rating system in use today.

Being an International Rating System recognized by World Sailing, there has also been a long association of the rating rule system with Grand Prix-level regattas, where the high levels of competitiveness push the rules and standards to their limits. Defining and developing the formats and standards for annual World and Continental ORC Championship events has been the ongoing work of the ORC's Offshore Classes and Events Committee, where they are published yearly in the ORC 'Green Book' of championship rules.

In more recent years the ORC rating system has grown rapidly to now provide fair racing at all levels of competition, from Grand Prix to club racers, and it issues over 10,000 certificates to boats of all types in more than 40 countries. These include not only monohull offshore-capable cruiser/racers but also Sportboats (light fast keelboats 6.00 – 9.15 m in length), Superyachts (>30 m in length) and now Multihulls as well. With this increased popularity and widespread use, often by race organizers and managers new to the system, the need has arisen for a coherent set of guidelines on how they can make the most of this accurate and versatile rating system.

This edition of the ORC Race Management Guidebook is intended to provide this advice for monohull and multihull yachts that have current and valid ORC certificates. We urge experienced race organizers and managers to review this guide and use it as a reference, while those that are new to use of ORC should study it carefully and also keep as a reference, especially the flow chart shown at the end of Section 3.

Racing styles evolve with time, and new ideas and innovations arise as the sport changes. Therefore, we intend to improve this book with regular updates as new features that are generated by the ORC system, and as new ideas come from the racing community itself.

It is important to note that this Guide does not give explanations of national scoring options available in the ORC system – some countries have developed and established use of, for example, the Triple Number system common in NED and the USA, as well as custom made specific ToD or ToT rating shown on certificates issued in those and other countries. Guidance on use of these and other “non-standard” options should be sought from the Rating Office in that country.

Regardless, ORC is pledged to help grow, improve and sustain the sport, and our staff is available to offer support for new and existing users of this system. Please contact us for any questions or clarifications on our website: <https://orc.org/organization/about/contact>.

2. EVENT STRUCTURE

2.1 Basics – overview

The popularity and effectiveness of a rating system will very much depend on how it is implemented by event organizers and race managers. ORC offers many possible solutions for fleets ranging from local club races to World Championships, but to be effective the appropriate choices should be made among these options, starting with the structure of the event.

Consider, for example, the type of race: is it a Windward/Leeward course race, a short-day race around an island, an overnight race, or a long oceanic race? Each will have its own set of appropriate rules and standards.

2.2 Committee structure

a) **Race Committee** – Composition of the Race Committee (RC) will vary with the type of racing. Inshore course races require more members to handle setting and moving buoys, compared to distance races where a starting and finishing line is only needed. This is no different than any other type of racing.

However, one common element is having accuracy in recording elapsed time data for each boat's finish, and additional information such as course distance data, wind direction and wind speed depending on the scoring type used. Therefore, make sure there are suitable personnel on the RC assigned to take on these important tasks.

b) **Technical Committee** - Note that RRS 92 specifies the appointment of a Technical Committee to be a resource to resolve issues related to measurement, inspection, and other issues. Whether or not your event intends to conduct measurements and inspections, it is nonetheless important to have someone available to fill this role who is available and familiar with ORC rules so they can be consulted on these and other ORC-related technical matters both before and during the event.

c) **Protest Committee** – Ideally the members of the Protest Committee or Jury should be experienced with keelboat and/or offshore boat fleet racing and have some familiarity with both safety and ORC rules. On matters related to ORC rules, they should be prepared to work with the Technical Committee or refer the matter to ORC (see RRS 64.4(b)).

2.3 Notice of Race

The Notice of Race (NoR) is a basic document for every regatta defined as a “contract” between the organizer and competitors. ORC provides a convenient Standard NoR template, available as a separate section of the **ORC Green Book of Championship Rules** on the ORC Rules [webpage](#). Even though it is intended for use in ORC World and Continental championships, the Standard NoR may be edited to be used for any race or regatta where ORC scoring is used.

However, there are some specific items that needs to be included for ORC events such as follows:

a) **Rules** – applicable rules shall include the **IMS Rule** as a measurement rule and **ORC Rating Systems** as a rating rule. Even though both documents may be considered under the RRS definition of “rule” it is always worth mentioning this in the NoR so competitors may know where to look for any technical explanation of the rules. **ORC Sportboat Class Rules** shall be included for any class organized for ORC Sportboats only.

b) **Safety rules** – It is important to define safety rules and apply the appropriate category to the type of the race. This may be through the World Sailing [Offshore Special Regulations](#) (OSR) or US Sailing's [Safety and Equipment Regulations](#) (SER). OSR Race Categories are defined as:

- Category 0 - Trans-oceanic races
- Category 1 - Races of long distance and well offshore
- Category 2 - Races of extended duration along or not far removed from shorelines
- Category 3 - Races across open water, most of which is relatively protected or close to shorelines.

- Category 4 - Short races, close to shore in relatively warm or protected waters normally held in daylight

Note that the ORC Sportboat Class applies OSR Appendix B for inshore racing close to shore in relatively warm and protected waters.

SER safety rules are commonly used in the US and are defined in these categories: Ocean, Coastal, and Nearshore.

Both OSR and SER set minimum stability requirement for the races of Categories 0, 1, 2 and 3 through Stability Index (SI) or the equivalent ISO standards.

STABILITY	
Righting Moment	268.2 kg·m
Stability Index	140.3

Stability Index (SI) is shown on the ORC International and ORC Club certificates when stability is measured – it is not shown on an ORC Club certificate when the stability is not measured for that boat.

STABILITY	
Righting Moment	193.6 kg·m
Stability Index	N/A

Please note that it is responsibility of the entry to meet the stability criteria established by the organizing authority.

- b) **Changes to the ORC rules** – several ORC rules may be amended by the NoR in accordance with RRS 87 as follows:

- Minimum crew weight - ORC certificates define a Maximum crew weight where the weight of all crew members weighed in light street clothes shall not be greater than the number recorded on the certificate. This shall always apply, and therefore shall not be amended by the NoR. There is also a Minimum crew weight that is recorded on the certificate, but this shall be applied only when specified by the NoR and Sailing Instructions. See ORC Rules 102.3 and 200.1(b) for more details.
- Allowed amount of liquids on board – Unwarranted quantities of stores shall be considered as ballast because their weight may have a measurable effect on performance. Any liquid carried on board in excess of 2.5 litres of drinkable fluid per person per day of racing, in the tanks or in other containers exclusive of emergence water required by safety rules, and any fuel in excess of the quantity needed to motor for 12 hours, is therefore not permitted. Race organizers of long offshore races may waive this requirement by specifying so in the Notice of Race. See ORC Rule 201.2 for more details.
- Moving sails or equipment - Moving sails or equipment with the intention of improving performance (i.e. “stacking”) is prohibited and shall be considered as a breach of RRS 51, although organizers of long offshore races may change this in the Notice of Race. See ORC Rule 201.3 for more details.
- Number of sails aboard while racing – The maximum number of sails allowed on board while racing is defined as follows: exclusive of storm & heavy weather sails required by the safety rules, a boat shall not carry aboard while racing more sails of each type than the numbers defined as follows:

CDL	Above 16.400	16.400 – 11.691	11.690 – 9.861	Below 9.861
Mainsail	2	2	2	2
Headsails	8	7	6	5
Spinnakers	6	5	5	4
Mizzen Staysail	1	1	1	1
Mizzen	1	1	1	1

* *CDL is explained in Section 2.5 below*

Note that if there is a headsail used with a headsail furler as recorded on the certificate then only one headsail shall be aboard while racing.

Since these limits may change yearly but are shown on the certificate, this table is not needed in the Notice of Race or Sailing Instructions unless these limitations are modified according to the appropriate character of the race. For example, the organizer may want to ensure all boats

in a class have the same number of sail types allowed on board. See ORC Rule 206 for more details.

- c) **Eligibility and Classes** – The NoR shall define how entries will be divided in classes and divisions with the criteria explained later in Section 2.5. The options may be, for example, to set up fixed class limits defined by CDL or APH where boats will enter a defined class or to set up a deadline after which the organizer will define classes based on the entries received.
- d) **Registration process** – Registration should be made available through an online system whenever possible with following items considered:
 - i) There should be a deadline until when a valid ORC certificate should be issued. ORC certificates are available in digital format and are valid as soon as uploaded to the ORC Database. There is no need for a printed copy and organizers can easily check for the existence of a valid ORC certificate in the ORC Database. This deadline may vary but should not be later than up to one week before the start of the event. This will help rating offices with certificate processing and organizers to prepare an entry list and scratch sheet. When defined, this rule will need to specify that it changes RRS 78.2.
 - ii) No changes shall be made on an ORC certificate after this deadline except with the permission and approval of the Technical Committee or the Race Committee either as a result of a pre-race measurement check or an error discovered. It is important to correct any error on the certificate before the start of the first race. Corrections are allowed by ORC Rules and explained further in Section 2.4 about certificate handling.
 - iii) If crew lists are needed, there should be a deadline for amending these lists. The entry form presented as part of the registration process shall include a list of crew members that will be onboard at the first day of the race. For subsequent changes in the crew there should be a request made on an appropriate form.
 - iv) If a Corinthian Division is desired, then World Sailing’s Sailors Categorization Code shall be applied. More details that relate to the use of this [code](#) are on the WS website.
- e) **Schedule of races and Scoring** – The Schedule of races should give the time for the warning signals for each race and describe the type of race (windward/leeward or coastal/long distance). The Scoring section should explain which scoring method will be used as explained later in Section 3. There are many options for scoring, and these do not have to be within the Scoring Options box shown on an ORC certificate. For example, if Polar Curve Scoring (PCS) is intended this should be specified, just as if a custom course model is planned for a single scoring option as explained later in Section 3.5, then the wind matrix and method used for the calculation of the single number rating should be specified.

2.4 Handling rating certificates

2.4.1 ORC Rating Systems provides the following types of certificates issued only by an established national [Rating office](#):

- a) **ORC International** – for a completely measured boat
- b) **ORC Club** – where measurement data may be measured, declared by the owner, or obtained from any other source, including photos, drawings, designs, data from identical or similar boats.
- c) **ORC Double Handed certificate** – may be issued from the data needed for ORC International or ORC Club certificate and shall apply for crews made of two persons.
- d) **ORC Non-spinnaker certificate** – may be issued from the data needed for an ORC International or ORC Club certificate and shall apply for boats not using any spinnaker nor headsail set flying.
- e) **ORC One Design certificate** – ORC International or ORC Club certificates where all data affecting a boat's rating are standardized based on the set of measurements for classes having One Design class rules or having all the measurements within close tolerances. A list of these can be found at this [link](#).

All certificate types are fully compatible and may be used on same event. However, some of these like Double Handed and Non-Spinnaker may be separated in different classes or divisions as described later in Section 2.5.

2.4.2 From the race management point of view the following items should be considered when handling rating certificates:

a) **VPP year** – ORC Rating Systems use science and technology to develop its handicap system through the Velocity Prediction Program (VPP). This VPP is updated yearly and therefore it is imperative to have all boats in the same race with certificates using same VPP year. The VPP year is shown on the upper box of each rating certificate.



b) **Expiration date** - The certificate is valid until the date printed on the certificate, which should normally be 31 December of the current year, but different expiration dates may be set by the Rating office. For example, some countries in the southern hemisphere use 30 June to change the VPP version. The expiration date is printed in the Certificate box of each rating certificate.



c) **Valid certificate** - A boat may have more than one certificate issued during the same VPP year period, but only the last one issued will be valid. Double Handed and Non-Spinnaker certificates may co-exist at the same time with the regular ORC International or ORC Club certificates. Copies of all latest valid certificates are available for free viewing and download on the ORC website.

Rating data is also available in form of RMS files that may be used by [ORC Scorer](#) and any other scoring software as explained later in the Scoring section.

d) **Compliance with the certificate** – is defined as:

i) All measured, declared or recorded values shall be as close as possible to those on the certificate. Differences are allowed only if the values on the certificate give a worse (i.e. faster) rating with a lower All Purpose Handicap (APH).

ii) The sail area should be smaller or equal to what is printed on the certificate. The sail inventory shall include the largest of each when applicable: mainsail, mizzen, quadrilateral sail or sail set on the wishbone boom, headsail set on the forestay, symmetric spinnaker, asymmetric spinnaker, mizzen staysail and all headsails set flying and all asymmetric spinnakers having SHW/SFL < 0.85.

e) **Owner's declared values**

i) Crew weight is an important factor affecting the boat's performance and is considered in the VPP rating calculations. The crew shall not be heavier than the Maximum value recorded on the certificate. The maximum value may be declared by the owner. If not declared, it will be calculated as default according to the size of the boat. And if the NoR or Sailing Instructions specify, then the crew weight shall not be less than the Minimum shown on the certificate.

CREW	
Maximum	1,010
Minimum	758 *when applied

ii) When there are symmetric and asymmetric spinnakers in the sail inventory together with a spinnaker pole and bowsprit, an owner may declare that the asymmetric spinnaker will be used only when tacked on centreline. Appropriate message explaining how asymmetric spinnaker may be used in relation to the pole is shown at the Sail Limitation section.

SAIL LIMITATIONS	
Headsails	7
Spinnakers	5 * Asymmetric may be tacked on the pole

f) **Correcting errors in the certificate** – ORC Rule 303.6 allows correction of any certificate when the Rating Office has reasonable evidence that not by her own fault a boat does not comply with her certificate. Whenever there is such an error found on the certificate, by any party, the Rating Office shall be contacted immediately explaining the error and the need for correction. Correction may be done at any time before, during or after an event, and all races shall be rescored using the new rating data. This underscores the importance to have all certificates being reviewed prior to the start of the first race.

2.5 Entry organization

One of the most difficult tasks for race organizers is to define racing groups. The definitions can be applied at all levels – local, regional and national, and even international such as at the ORC World and continental Championships. Entries are divided into groups variously called Classes, Divisions, Sections, Fleets, etc., with the goal of having boats of similar characteristics racing against each other whenever possible.

ORC has several ways to help define appropriate racing groups. Application of these criteria should be made after careful consideration of the expected fleet of competitors and can be made singly or in combination of multiple criteria. These groups should be described in the Notice of Race of the event and/or within broader national rules.

ORC World and continental championship classes are defined by CDL yearly and by ORC only as follows:

- *Class A:* $16.400 \geq CDL > 11.690$
- *Class B:* $11.690 \geq CDL > 9.860$
- *Class C:* $9.860 \geq CDL > 8.320$

Here are some tools and examples of their application... these are *only* examples and not intended to be used in all contexts and these may change year to year at the discretion of the racing authorities:

Class Division Length (CDL) is one of the main parameters that may be used for dividing boats in classes for inshore racing. Since most inshore races have an upwind start, CDL is a parameter defined by the average of the effective sailing length (IMS L) and the rated length (RL) that is calculated from the upwind speed of the boat in a True Wind Speed of 12 knots. CDL is shown in a separate box on the ORC certificate.

For example, in Italy class divisions are defined by these CDL limits:

- *Class A:* $16.400 \geq CDL \geq 11,690$
- *Class B:* $11.690 \geq CDL \geq 9,860$
- *Class C:* $9,860 \geq CDL \geq 8,320$
- *Class D:* $8.320 \geq CDL$

For Italian Championship Classes A and B are racing together in Group 1 and Classes C and D are racing together in Group 2.. Races in each group are scored and rankings also determined within each Class.

All-Purpose Handicap (APH) is an average representation of all time allowances in all wind speeds and wind directions. It is also used as single number Time on Distance Rating as described later in Section 3.3.2. It is used for simple comparisons between boats and possible class divisions.

Special divisions: Fleets may also be divided in separate divisions like Double Handed or Non-Spinnaker using relevant ORC **Double Handed** or **Non-Spinnaker** certificates. Additionally, boats that comply with ORC **Sportboat** Rules may be grouped in a separate division. Whenever possible it is better to have these fleets racing separately but if the number of boats cannot justify this, such boats may be added to the other classes as well.

Performance and Cruiser/Racer categories: Additionally, boats may also be categorized as Performance or Cruiser/Racer as defined by IMS Appendix 1 where **Cruiser/Racers** are boats designed primarily for cruising and are equipped with accommodation layouts comparable to the standards of series production boats. Those boats not meeting these requirements are categorized in the **Performance** division. ORC races may be run with boats from both categories, or organizers may wish to use these categories in fleet organization.

Dynamic Allowance (DA) is a parameter that applies to Cruiser/Racers that describes the boat's behaviour in unsteady conditions and is related to sail area, volume and wetted surface of the boat. Boats of both categories older than 30 years in design will also get a DA.

For example, in Greece two divisions are determined by these criteria:

- Performance: $DA \leq 0.230$
- Sport: $DA > 0.230$

Each division is then further subdivided in classes as follows:

- Class A: $CDL \geq 10,500$
- Class B: $10,50 > CDL \geq 8,500$
- Class C: $8,500 > CDL \geq 7,500$
- Class D: $CDL < 7,500$

With Classes A, B, C accepted in Performance Division and Classes A, B, C and D in the Sport division.

2.6 Sailing Instructions

Just as for the Notice of Race, ORC provides a convenient Standard Sailing Instructions template, available as a separate section of the ORC Green Book of Championship Rules on the ORC Rules [webpage](#). Even though it is designed primarily to be used for ORC World and continental championships, it may be edited to be used for any race or regatta where ORC scoring is used.

In addition to the items already described in the Notice of Race sections, there are some specific items that needs to be included in the Sailing Instructions for ORC events as follows:

- a) **Discretionary penalties** – The Sailing Instructions should define for which breaches of the rule discretionary penalties, with the notation ‘[DP]’, may be imposed by the Protest Committee that may be less than disqualification. These may include items such as the following:
- number of sails on board
 - placement of the bow numbers
 - minor breaches of the safety rules
 - not reporting the use of the engine for rescuing people or giving help
 - failing to request the change of crew or equipment
 - use of support boats
 - communications with the Race Committee
 - haul out restriction

A Discretionary Penalty Imposed (DPI) document may be created and published as an appendix to the Sailing Instructions.

- b) **Communication of the Race Committee with competitors** – It is highly recommended to have frequent and clear communications from the Race Committee to competitors through the VHF as it is described later in the Race Management best practices section. The Sailing Instructions should then include limitations of possible requests for redress based on OCS calls with wording such as:

“If any part of a boat’s hull is on the course side of the starting line at her starting signal and she is identified, the race committee will attempt to broadcast on VHF her sail number, bow number or the name of the boat. Delay in the radio broadcast of these calls, or the order in which they are made, or any omission or failure in the transmission or reception of these, will not be grounds for a request for redress by a boat. This changes RRS 60.1(b).”

Another example is this wording:

“The following communications may be made by the race committee on VHF: time checks and starting times, starting order and designation of race areas, confirmation of any visual signal displayed, courses including bearing and distance to the first mark, change of course, shortening, postponement, abandonment and other information explaining the intentions of the race committee.

Delay in the broadcast of these calls, or the order in which they are made, or any omission or failure in the transmission or reception of these, will not be grounds for a request for redress by a boat. This changes RRS 60.1(b).”

- c) **Scoring** – Scoring options shall be defined by the SI's, but it is important that selection of the scoring options shall not be grounds for a request for redress by the boat, and the following wording should be included:

“The decision on the scoring method and scoring parameters used for a race will be at the sole discretion of the Race Committee. This includes the length of the course, directions of the legs and the wind details such as strength and direction. These will not be grounds for a request for redress by the boat. This changes RRS 60.1(b).”

- d) **OCS Penalty** – It is common practice in long offshore races to have a scoring penalty for OCS instead of disqualification. If this is the case World Sailing Development Rule DR 21-01 shall be used as explained at this [link](#).

3. SCORING

3.1 Scoring

Scoring races to get acceptable race results is the primary function of race management. Competitors expect races to be run competently, and the results to reflect their abilities on the racecourse in a fair and unbiased way. With ORC's use of scientific modelling of boat performance, this is possible with the correct selection of scoring type that best reflects the race type, the wind conditions and the expectations of the competitors.

3.2 Scoring options and the factors of choice

One of three main characteristics of ORC rating systems besides science and transparency is the flexibility in scoring options. Since the ORC VPP produces a complete matrix of predicted boat speeds at various wind strengths and directions, ORC rating systems can therefore provide a wide variety of methods to calculate corrected time. This variety may look complex, but it is actually one of the strengths of the ORC rating systems to offer race managers choices that best suit their fleet, their race type and their race conditions. Choosing the best scoring option is therefore finding the right balance between accuracy and simplicity appropriate for the fleet.

The simple options shown on certificates include use of a single-number Time on Distance or Time on Time rating given for basic course types such as:

- **Windward/Leeward course** – has 50% upwind and 50% downwind race legs
- **All Purpose course** – includes equal distribution of all wind directions.

However, to achieve more accuracy in corrected times and complete potential of the ORC rating system with use of more information from race managers, Polar Curve Scoring (PCS) or custom-made simple scoring options may be selected.

Selecting the scoring option should be based on several other factors besides wind geometries, such as:

- a) **Level of competition** – For casual racing in club-level events with limited race committee resources, the simpler scoring options may be the appropriate choice. As the level of competition increases, then more sophisticated systems may be appropriate depending on the expectations of the sailors. For example, by default the windward/leeward races in ORC World and Continental Championships are scored using PCS with constructed courses – this is common for major National Championships and International regattas as well, and even for some local fleet competitions where this level of scoring is accepted and understood.
- b) **Class composition** – Regardless of the scoring method selected it is important to have the fleet organized into racing groups (e.g. classes, divisions, sections, etc) of similar type as explained in Section 2.5. The scoring system works best when like-type and sized boats race each other, particularly when using the most accurate scoring options. Yet for long offshore races there may be a desire to list overall results that include all entered boats in addition to the results from separate classes.
- c) **Time on Distance vs Time on Time** – Simple scoring options offer either Time on Distance or Time on Time ratings. The two are equivalent, and the choice can coincide with what the local fleet is accustomed to using. However, if the racing area has current, Time on Time is generally regarded as being more fair.

3.3 Single Number scoring options

Single number scoring options include Time on Distance (ToD) and Time on Time (ToT) ratings for Windward/Leeward and All-purpose course types. These are shown on every ORC certificate.

Single Number Scoring Options		
Course	Time On Distance	Time On Time
Windward / Leeward	650.3	0.9227
All purpose	524.7	1.1434

ToD coefficients are calculated for the respective course models (Windward/Leeward or All-purpose) with the following wind strength distribution:

<i>TWS (kt)</i>	6	8	10	12	14	16	20
<i>Time Allowance percentage</i>	5%	10%	20%	30%	20%	10%	5%

ToT coefficients are calculated for the respective course model (Windward/Leeward or All-purpose) as $ToT = 600 / ToD$

Corrected times are calculated accordingly:

- a) **Time on Distance** – With Time on Distance scoring, the coefficient of time allowance of one boat will not change with wind velocity, but will change with the length of the course. One boat will always give to another the same handicap in seconds/nautical mile (s/NM), and if the distance sailed is known then it is easy to calculate the difference in elapsed time between two boats needed to determine a winner in corrected time. Corrected time is calculated as follows:

$$Corrected\ time = Elapsed\ time - (ToD_{Delta} * Distance)$$

Where $ToD_{Delta} = ToD_{the\ boat} - ToD_{the\ lowest\ (fastest\ boat)\ in\ the\ fleet}$ and therefore, the corrected time of the boat having the fastest ToD in the fleet will be equal to her elapsed time (this is often termed the “Scratch boat”).

- b) **Time on Time** – With Time on Time scoring, the time allowance will increase progressively through the duration of the race. Course distance has no effect on the results and need not be measured. Corrected time will depend only on the elapsed time, and the difference between boats may be seen in seconds depending on the duration of the races. The longer the race is in time, the larger the handicap. Corrected time is calculated as follows:

$$Corrected\ time = ToT * Elapsed\ time$$

Pursuit racing – For casual races, race managers may consider use of the Pursuit start, where for a known and measured distance of the course and the selected ToD ratings of the entries, a unique start time is calculated. In this format the boat starts the race at their designated time, with the slowest-rated entries starting first followed by others in progressive order of rating. Results are then determined by the order of boats crossing the finishing line. To calculate the start times on the scratch sheet, this formulation is used:

$$Starting\ time = Starting\ time\ of\ the\ slowest\ boat + (ToD_{slowest\ boat} - ToD) * course\ length$$

3.4 Polar Curve Scoring (PCS)

While single number option may be considered simple and effective, the fact is that it hard to get “one number fits all” principle as it is known that boats may perform differently in different wind conditions.

Selected Courses – ORC certificates are showing time allowances in sec/NM for 7 wind strengths and two major course types: Windward/Leeward and All Purpose.


Selected Courses							
Windward / Leeward	871.9	714.4	627.3	578.6	549.7	527.0	501.1
All purpose	663.6	554.7	501.3	472.7	454.4	438.9	416.9

Taking for example, two boats with time allowances for All Purpose course their handicaps may be calculated as follows:

<i>TWS</i>	<i>6 kt</i>	<i>8 kt</i>	<i>10 kt</i>	<i>12 kt</i>	<i>14 kt</i>	<i>16 kt</i>	<i>20 kt</i>
<i>Boat A</i>	964.1	783.9	679.9	621.5	588.0	565.9	541.2
<i>Boat B</i>	881.3	731.7	679.9	658.8	644.4	630.5	610.7
<i>Difference</i>	82.8	52.2	0.0	-37.3	-56.4	-64.6	-69.5

This would mean that Boat B will give 82.8 seconds per NM to Boat A in light winds, while in strong winds it will be opposite with Boat A giving 69.5 second per NM to Boat B.

To score the race, race committee needs to select the wind strength to be used for the scoring. So called Scoring Wind is calculated from the performance of the boats. Time allowances for 7 wind speeds may be presented as performance curve.



In a typical Performance Curve plot, the vertical axis represents the average speed of the boat around the race course, expressed in seconds per mile. The horizontal axis represents the wind speed in knots. When the finishing time of a boat is known, its elapsed time is divided by the distance of the course to determine the average speed in seconds per mile.


For example, if the elapsed time of the boat with the curve shown above is 1 hour 28 minutes 11 seconds and the total length of the course is 8.11 NM, the average s/NM for the boat on that course is:

$$\text{Elapsed time: } 1:28:11 \text{ hours} = 5291 \text{ s}$$

$$\text{Course length} = 8.11 \text{ NM}$$

$$\text{Allowance} = \frac{\text{Elapsed time}}{\text{Course length}} = \frac{5291}{8.11} = 652.4 \text{ s/NM}$$

This value is then found on the vertical axis, and the software finds the point where it intersects the performance curve as shown below:



The corresponding point on this curve on the horizontal axis is the so-called Scoring Wind. This means the yacht has completed the course “as if” it has encountered that wind speed. The faster the boat has sailed, the higher the Scoring Wind, which is the primary index used for Polar Curve Scoring: the yacht with the highest Scoring Wind wins the race.

Scoring Wind is intended as an interpolation between time allowances, not an extrapolation. This means that when the Scoring Wind drops below 6 knots or raises above 20 knots, the time allowances used for calculating the corrected times will be those of 6 knots and 20 knots respectively. This does not mean that ORC races need to be stopped (or not started) with wind below 6 knots or above 20. When the Scoring Wind results calculate to be less than 6 knots or more than 20, the corrected time values at these wind speeds are then used.

With the winner known, the remaining rankings in the race are determined as follows: the Scoring Wind of the winner is used as the true wind speed to then calculate the corrected times of the other entries. With that wind on the horizontal axis, the appropriate time allowances are determined on each boat’s curve on the vertical axis. Such a time allowance is then used as a single number Time on Distance coefficient.

Scoring Wind for the winning boat normally approximates the predominant wind strength for the race. However, in cases where the Scoring Wind does not fairly represent the real wind strength during a race, the wind strength may be determined by the Race Committee, entered in the ORC Scorer software, and used to calculate results.

Once the time allowances for seven wind speeds are known for the fleet, a scratch sheet may be generated either from ORC Scorer software or online at ORC Sailor Services. The scratch is showing rated speeds of the boats as a function of the course model selected and the wind speed, and with the selection of a “scratch boat” in the fleet the differences in rated speed may be determined relative to this boat.

	Type	6 kt	8 kt	10 kt	12 kt	14 kt	16 kt	20 kt
<input type="radio"/>	Farr 40	842.9	683.4	604.1	564.1	539.6	517.7	483.6
<input type="radio"/>	Millenium 40	840.4	686.3	604.7	568.3	548.7	526.7	484.1
<input type="radio"/>	Swan 42	850.6	690.8	605.4	566.3	547.9	528.1	494.3
<input type="radio"/>	Arya 415	868.6	700.1	611.3	571.1	551.8	531.1	494.5
<input type="radio"/>	M 45	886.4	713.0	619.3	572.5	545.0	521.8	493.4
<input type="radio"/>	XP 44	868.7	704.6	615.3	572.9	553.4	533.3	505.6
<input type="radio"/>	IMX 45	867.9	708.4	621.8	575.4	548.0	529.4	500.8
<input type="radio"/>	Grand Soleil 42R	909.1	734.0	636.2	586.2	556.9	533.7	505.9
<input type="radio"/>	Solaris 36	879.5	713.7	633.0	598.4	577.4	551.1	509.1
<input type="radio"/>	Grand Soleil 43R	931.3	748.1	643.6	588.8	557.2	535.3	504.0
<input type="radio"/>	X 41	921.1	748.3	645.9	592.8	563.5	543.5	513.1
<input type="radio"/>	First 40	914.2	745.6	649.0	599.5	570.0	550.2	521.6
<input type="radio"/>	Salona 41	928.5	752.1	652.3	598.3	567.3	546.0	515.9
<input type="radio"/>	XP-38	938.4	765.4	665.4	616.3	593.8	570.0	539.9
<input type="radio"/>	Grand Soleil 39	961.0	779.2	677.7	624.7	594.4	573.4	548.8
<input type="radio"/>	X 40	968.9	786.5	681.2	623.4	590.7	570.0	541.9
<input type="radio"/>	Grand Soleil 40	964.1	783.9	679.9	621.5	588.0	565.9	541.2

Time allowances in secs/NM for 7 wind speeds

	Type	6 kt	8 kt	10 kt	12 kt	14 kt	16 kt	20 kt
<input type="radio"/>	Farr 40	-66.2	-50.6	-32.1	-22.1	-17.2	-16.0	-22.3
<input type="radio"/>	Millenium 40	-68.7	-47.7	-31.4	-17.9	-8.2	-7.1	-21.8
<input type="radio"/>	Swan 42	-58.5	-43.2	-30.8	-19.9	-9.0	-5.7	-11.6
<input type="radio"/>	Arya 415	-40.5	-33.8	-24.8	-15.0	-5.1	-2.6	-11.4
<input type="radio"/>	M 45	-22.7	-21.0	-16.8	-13.7	-11.9	-11.9	-12.5
<input type="radio"/>	XP 44	-40.4	-29.4	-20.9	-13.2	-3.5	-0.5	-0.3
<input type="radio"/>	IMX 45	-41.2	-25.6	-14.4	-10.7	-8.9	-4.4	-5.1
<input checked="" type="radio"/>	Grand Soleil 42R	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<input type="radio"/>	Solaris 36	-29.6	-20.3	-3.2	12.3	20.5	17.3	3.2
<input type="radio"/>	Grand Soleil 43R	22.2	14.1	7.4	2.6	0.3	1.6	-1.9
<input type="radio"/>	X 41	12.0	14.3	9.7	6.6	6.6	9.8	7.2
<input type="radio"/>	First 40	5.2	11.6	12.8	13.3	13.1	16.4	15.7
<input type="radio"/>	Salona 41	19.4	18.1	16.1	12.2	10.5	12.3	10.0
<input type="radio"/>	XP-38	29.3	31.4	29.3	30.1	36.9	36.3	34.0
<input type="radio"/>	Grand Soleil 39	51.9	45.2	41.6	38.6	37.5	39.7	42.9
<input type="radio"/>	X 40	59.8	52.5	45.0	37.2	33.8	36.3	36.0
<input type="radio"/>	Grand Soleil 40	55.0	50.0	43.8	35.3	31.1	32.1	35.3

Scratch sheet for one boat selected as a “scratch boat” showing differences in time allowances relative to all other boats in the fleet

Constructed course – Further sophistication of the Polar Curve Scoring and use of full power of the ORC VPP may be achieved by defining the course when the course does not fit with one of the pre-defined course models i.e. any course different from Windward/Leeward course (50/50) or All Purpose with equal distribution of all wind directions.

The VPP produces a matrix of the boat’s predicted speeds, expressed in secs/NM, and is shown on the ORC Certificate. These predicted speeds constitute the boat’s ratings for wind conditions in the range of 6 – 20 knots of true wind speed, and at angles varying from an optimum VMG beat to 52, 60, 75, 90, 110, 120, 135, 150 degrees of true wind angle, as well as the optimum VMG run angle. These numbers may be used for any course construction as explained below.

Time Allowances in secs/NM							
Wind Velocity	6 kt	8 kt	10 kt	12 kt	14 kt	16 kt	20 kt
Beat VMG	886.1	737.6	668.8	638.7	624.4	613.1	601.9
52°	580.2	491.6	457.4	445.4	439.6	436.4	428.8
60°	547.3	471.5	444.5	433.2	427.6	424.2	417.6
75°	520.8	457.5	434.5	421.0	411.5	405.4	398.8
90°	506.5	446.2	423.6	409.0	396.6	387.9	373.3
110°	524.0	452.6	425.6	405.9	386.0	368.1	341.2
120°	553.7	465.9	430.7	409.0	387.5	369.2	335.7
135°	623.5	508.0	450.3	424.7	403.8	381.5	336.9
150°	742.8	598.6	507.4	453.6	427.5	407.6	365.5
Run VMG	857.7	691.2	585.9	518.5	474.9	440.9	400.2

The use of a constructed course is not as complicated as it may appear. It requires the Race Committee to provide only a little more data in addition to their usual work of setting up the course, following the wind changes, making starts and taking finishing times. ORC provides free PC-based [ORC Scorer Software](#) that will do all calculations that enable results to be ready as soon as the elapsed times of the race are entered.

The course may be constructed with these parameters in the ORC Scorer software:


- distance (NM)
- course bearing (magnetic degrees)
- wind direction (magnetic degrees)



An example is shown below:

Leg	Distance	Bearing	Wind direction
<i>Start – 1</i>	2.09	162	160
<i>1 – 1A</i>	0.06	060	155
<i>1A – Gate (2P-2S)</i>	1.91	340	155
<i>Gate (2P-2S) – 1</i>	1.89	161	160
<i>1 – 1A</i>	0.06	060	160
<i>1A – Gate (2P-2S)</i>	1.91	340	160
<i>2S – Finish</i>	0.19	316	160

Typical course definition – Distance and bearings of each leg are entered, as is the approximate true wind direction measured by the Race Committee. Note that wind speed is *not* entered. Current velocity and direction can also be entered for each leg if it is known.



From the course constructed as described above, the true wind angle (TWA) is calculated as being the difference between the wind direction and compass bearing of each leg. With this information, a table is made for each boat that describes the theoretical speed of that boat over that course for the range of seven true wind speeds (TWS). Calculated time allowances for these wind speeds are then used to calculate Scoring Wind and corrected times as explained above.

3.5 Custom-made Single Number scoring

Use of Single-number options will be accurate if the actual wind conditions are close to the wind matrix used for its calculation.

However, there is also an option to define a different wind matrix that is custom-made for a single number time allowance. This may be done using a weather forecast on the day prior to the start of the race or historical wind data for the course area.

Below is an example of the Upwind course model option used in the Chicago-Mackinac Race:

<i>TWS (kt)</i>	6	8	10	12	16	20	
Beat VMG	1.75%	5.25%	10.50%	10.50%	5.10%	1.60%	34.70%
52° reach	1.40%	4.35%	9.00%	9.30%	5.10%	1.80%	30.95%
90° reach	0.75%	2.25%	4.50%	4.50%	2.40%	0.90%	15.30%
135° reach	0.60%	1.80%	3.30%	3.30%	1.50%	0.45%	10.95%
Run VMG	0.50%	1.35%	2.70%	2.40%	0.90%	0.25%	8.10%
Sum	5.00%	15.00%	30.00%	30.00%	15.00%	5.00%	100.00%

The course model to be used shall be specified in the Notice of Race and/or Sailing Instructions. Custom made Single number can be calculated as Time on Distance. If needed it may also be converted to Time on Time coefficient using conversion factor of ToT = 600/ToT, but also conversion factor different from 600 may be set as ToD representing the middle of the fleet. Use of a different correction factor will not change the place in corrected times, it will only affect the differences in corrected time.

3.6 National Rating Office scoring options


National Rating Offices may publish on their certificates other scoring options. This may include ToD and/or ToT coefficients using different course models as well as multiple ToD and/or ToT coefficients for different wind ranges. The course type used to calculate these ratings and the methods of how they will be applied shall be specified in the Notice of Race and/or Sailing Instructions of the races and events that use them.

3.7 Scoring software

There are numerous methods of scoring available, and their suitability should match the scoring methods desired. For simple single-number methods, for example, there are a wide variety of software options available.

If, however, more complex rating options are desired, then there are fewer scoring software options available to handle the task. Several of these are listed on the [ORC website](#), but among these the **ORC Scorer** software offers all options in a free Windows-based package. This is available for download at the [ORC Sailor Services](#) web portal and a User Guide available at this [link](#) where all scoring options are also fully explained.

Windward / Leeward race scoring options flow chart




ACCURACY



SIMPLICITY

Coastal / Long Distance race scoring options flow chart



ACCURACY



SIMPLICITY

4. RACE MANAGEMENT BEST PRACTICES

4.1 Race Management Best Practices

Running an ORC event is not significantly different from running any other sailing race. However, there are some aspects that needs to be addressed specifically while using the ORC system. For this ORC offers tools that can make race management tasks even easier. This guidebook is not intended to give an overview of the basics of proper race management, there are many other resources available and this knowledge is assumed.

4.2 Setting the course

- a) **Course distance** – Regardless the scoring method used (as explained in Section 3) setting up the course includes gathering basic information of the position of the marks, length and compass bearings of each leg as well as wind over the course. The polar diagram data available on ORC Certificates make it is easy to calculate the distance of the course needed to achieve the target elapsed time for the race. ORC International and ORC Club certificates with an optional second page show time allowances for pre-selected course types as follows:

Time Allowances in secs/NM							
Wind Velocity	6 kt	8 kt	10 kt	12 kt	14 kt	16 kt	20 kt
Beat VMG	886.1	737.6	668.8	638.7	624.4	613.1	601.9
52°	580.2	491.6	457.4	445.4	439.6	436.4	428.8
60°	547.3	471.5	444.5	433.2	427.6	424.2	417.6
75°	520.8	457.5	434.5	421.0	411.5	405.4	398.8
90°	506.5	446.2	423.6	409.0	396.6	387.9	373.3
110°	524.0	452.6	425.6	405.9	386.0	368.1	341.2
120°	553.7	465.9	430.7	409.0	387.5	369.2	335.7
135°	623.5	508.0	450.3	424.7	403.8	381.5	336.9
150°	742.8	598.6	507.4	453.6	427.5	407.6	365.5
Run VMG	857.7	691.2	585.9	518.5	474.9	440.9	400.2
Selected Courses							
Windward / Leeward	871.9	714.4	627.3	578.6	549.7	527.0	501.1
All purpose	663.6	554.7	501.3	472.7	454.4	438.9	416.9

Time allowances are shown in sec/NM that allows easy calculation of length of the course needed to achieve target time for finishing. For example, if there is a windward/leeward race planned with a target time of 01:15:00 hours, the length of course is calculated as:

$$\text{Target time} = 01:15:00 = 4500 \text{ sec}$$

$$\text{Observed wind speed: } 10 \text{ kts, Time allowance at TWS of } 10 \text{ kts} = 627.3 \text{ sec /NM}$$

$$\text{Length of the course: Target time / Time allowance} = 4500 / 627.4 = 7.17 \text{ NM}$$

Using the same calculation method for wind of 12 kts and same target time length of the course would yield a result of 7.77 NM. Using this approach, it is easy to build a table of length of the course as a function of wind strength as shown in the example below for a Target time of 01:15:00.

Wind speed (kts)	6	8	10	12	14	16	20
Time Allowance (s/NM)	871.9	714.4	627.3	578.6	549.7	527.0	501.1
Length of the course (NM)	5.16	6.30	7.17	7.77	8.19	8.54	8.98
Length of the 1 st leg (NM)*	1.34	1.63	1.84	1.99	2.10	2.19	2.30

* Assuming 2 laps course with 2 windward and 2 leeward legs and the leeward gate at about 0.1 NM windward for the starting line

4.3 Communication from the Race Committee

Race Committee communications through VHF should be clear and frequent, explaining their intentions but also giving information about the race course. This information can include, for example, the length and compass bearing of the first leg of the course and the intended time for the warning signal. Each visual signal should be announced on the VHF with a countdown broadcast in advance and into the last few seconds prior to its display.

It is always desirable to announce boats that are OCS by VHF. Such announcements shall be clear, concise, and uniform using either bow number, sail number or boat names for all boats that are called over the line at the start. Any changes of the course or shortening of the course should also be announced on the VHF.

Radio communication from the Race Committee shall not be ground for redress as described in Section 2.6 with appropriate wording to be included in the Sailing Instructions.

4.4 Race Time Limits

Setting up a time limit in handicap racing needs to take in account rating differences between the fastest and slowest boat in the fleet. As explained in Section 4.2, having a complete set of predicted boat speeds for different wind conditions make this process much easier. There are several ways to define a time limit in the Sailing Instructions:

- a) **Fixed time limit for all boats in the fleet** – if this option is selected it should be calculated based on the slowest rated boat in the fleet. Whatever method being used to score the race, the appropriate Time on Distance time allowance should be used. For example, if a Time on Time scoring method is used, then the relevant Time on Distance conversion factor should be used as described in Section 3. If time allowances are given for more than just one wind condition, the one for the lightest wind should be used. Once an appropriate ToD time allowance in sec/NM is selected, the estimated time need to sail the course may be calculated as:

$$\text{Estimated time to sail the course} = \text{ToD} \times \text{Length of course}$$

The final time limit can then be determined by adding some margin based not only on the weather but competitive quality of the fleet: in general, smaller margins may be used for experienced competitors. For others the margin may be up to a 50% increase to the estimated elapsed time.

- b) **Fixed time limit for the first boat with finishing window for the rest of the fleet** – Time limits for the first boat to finish may be calculated as described in a) above while the finishing window for the rest of the fleet may be calculated from the difference in ratings between the fastest and the slowest-rated boats in the fleet using the same method for selecting appropriate ToD factors:

$$\text{Estimated time difference to sails the course} = (\text{ToD}_{\text{slowest boat}} - \text{ToD}_{\text{fastest boat}}) \times \text{Length of course}$$

The final finishing window time limit shall then be determined by adding some margin increase to the estimated time difference to sail the course up to a 50% increase of estimated time difference between the fastest and the slowest boat

- c) **Individual time limit for each boat** – may be calculated from an appropriate ToD rating and length of the course, such as:

$$\text{Time limit} = \text{ToD} \times 2.0 \times \text{Length of course}$$

where a factor of 2.0 may be adjusted to the type of race. This option is better to be used for Coastal/long distance races where the list of time limits may be printed and given to competitors prior to the start of the race. This option is available in the ORC Scorer Software. Please note that this option requires more attention from the Race Committee when recording finishing times to check that each boat has individually finished within her time limit.

4.5 Recording finishes and publishing results

Finishing times should be recorded to the nearest second in the format of HH:MM:SS of the actual local time when boat crosses the finishing line. With the starting time entered in the same format, scoring software will then do the calculations needed to determine elapsed and then corrected times.

For offshore races lasting longer than 24 hours the finishing day may also need to be recorded. If the race is going through more time zones, be sure to have all starting and finishing times recorded within same time zone, whether UTC or the starting venue time standard.

Results using ORC scoring are often very close. It is perfectly OK if two or more boats are finishing so close to be recorded as having finished within the same second in elapsed time, because their corrected times will likely calculate to be different. If their corrected times are the same, then ties are resolved according to RRS rule A7 with the points for the place for which boats have tied and for the place(s) immediately below added together and divided equally. Therefore, it is important to give the maximum possible accuracy on recording finishing times.

The best practice is to have one RC member monitoring the line identifying the boat finishing, and then give the sound signal when they cross the finishing line. Another RC member is then recording the time of the sound signal by writing on a finishing log sheet. Finishing times should also be recorded by a sound recorder.

The results should be published as soon as possible so that competitors may get results quickly. To facilitate this the scorer should be present on the race committee boat or at the race office with finishing times and course information sent from the race area, such as in photos taken of the log sheets. In either case, the race committee should double check all input data and resulting output with special attention paid to:

- Are all finishing times entered correctly?
- If the race lasts for more than a day, are all finishing days entered correctly?
- Is the starting time entered correctly and elapsed times calculated correctly?
- Are all time limits considered correctly?
- Are all OCS, UFD or BFD penalties entered properly?
- If PCS is used, is the scoring wind of the winning boat within range of the observed wind during the race? If not, double check the course configuration.

Once the RC is satisfied with the results, they may be published on the event web page and announced to the competitors by VHF if appropriate. The [ORC Scorer software](#) has an option to publish results with single click as described in its user guide.

After the results have been published, they should not be changed unless there is an error discovered. RRS 90.3(c) requires the Race Committee to correct any error that may be found from its own records or observations. If there is any request for correction of results from the competitors, the Race Committee should first check its own record and if the error is found it may proceed in accordance with RRS 90.3(c). If not, the boat may request redress according to RRS 60.1(b).

4.6 Measurement protests

Occasionally an issue may arise where there is an irregularity of a boat with its ORC certificate prior to the start or during racing. This may be, for example, a boat having a sail which is larger than that shown on her certificate, or a question about displacement, or having crew that exceeds the limit shown on the certificate. A Technical Committee appointed by the organizers should handle these matters related to measurement and certificate compliance.

The ORC Rating Systems rules have a clear definition of the procedures for measurement protests defined in ORC rule 305.

The first step for the Technical Committee should be to determine what is not in compliance on the boat with its certificate. If it is determined that this is not the fault of the owner or the crew, then the issue should be immediately reported to the relevant rating office that issued the certificate. They shall withdraw this certificate, correct the error, and issue a new certificate. Note that this may be done before the start or even during the race, if necessary, and should not hinder the boat from racing. In either case once the corrected certificate data is available then results should be re-calculated and updated.

However, if the owner or the crew are responsible for the non-compliance, the procedure should be as follows:

- a) ***Prior to the start of first race*** – if the non-compliance is considered to be minor and can be easily corrected, the boat should be brought into compliance with her certificate, and, when necessary, a new certificate should be issued. The Technical Committee shall approve the issue of a new certificate.

When the non-compliance is major (even if it can be corrected) or if it cannot be corrected without requiring significant re-measurement, a boat shall not be eligible to enter a regatta. The Technical Committee shall inform the Rating Authority that the boat is not in compliance with its certificate.

- b) ***During races as a result of measurement protest or post-race measurement check*** – A test certificate should be generated with the new measurements taken by the Technical Committee. The resulting APH on the test certificate shall then be compared with the APH on the original certificate used to enter the regatta:

- If the difference is less than or equal to 0.1%, the original certificate will be maintained, the protest will be dismissed, and the protestor will have to cover any cost involved. RRS 64.3(a) will apply but no corrections are needed.
- If the difference is more than 0.1% but less than 0.25%, no penalty shall apply, but a new certificate shall be issued by the Rating Authority based on the new measurement data and all races of the series shall be rescored using the new certificate data. The protest will be considered accepted and the protestee will have to cover any cost involved.
- If the difference is more than 0.25% but less than 0.40%, a boat shall receive a scoring penalty that shall be 50% of the score for Did not Finish, rounded to the nearest whole number (0.5 rounded upward) in any race in which her rating was incorrect. New certificate shall be issued based on the new measurement data and all races of the series shall be rescored using the new certificate data. The Protest will be considered accepted and the protestee will have to cover any cost involved.
- If the difference is 0.40% or more, a boat shall be disqualified (DSQ) in any race in which her rating was incorrect. The Protest will be considered accepted and the protestee will have to cover any cost involved and the yacht shall not race again until all non-compliance issues are corrected to the limit defined above (less than 0.1%). Further actions may be taken by the Protest Committee if it may be considered that non-compliance is result of misconduct following procedures defined in the RRS 69.

Test certificates needed for APH comparison shall be run by the relevant rating office. However, if the rating office is not available during the regatta, the Technical Committee may use [ORC Sailor Services](#) to generate a new test certificate. Any costs involved shall be covered by the unsuccessful party as defined by the RRS 64.3(e).

- c) ***Declared value non-compliance (Crew weight & Asymmetric spinnaker on centerline)*** - Please note that values recorded on the certificate by the owner's declaration such as Crew weight and use of an asymmetric spinnaker tacked only on the centerline are not eligible for the APH comparison procedures defined above. Infringement of these rules will result in Disqualification unless any other penalty is defined by the Sailing Instructions.

4.7 Redress

In addition to the options available in RRS A9, if there is a decision by the Protest Committee to grant redress to a competitor in the form of time sailed on the course, this should be expressed in elapsed time rather than corrected time.