



Questions and Answers

Use of Supplied Equipment #3

9 December 2023 at 21:30 (changes in green)

10 December 2023 at 21:30 (changes in yellow)

Number	Class		Text
1	General	Question	Are competitors allowed to bring their sail(s) to hotel? Just to dry it and/or to tape tell tails on?
		Answer	No
2	General	Question	In case a provided sheet seems to be very long are competitors allowed to shorten them?
		Answer	No, see NOR Addendum A1.2.
3	General	Question	Are sailors permitted to stick/add PRO-GRIP on their boats? And tape?
		Answer	Yes, but the tape must be used above the waterline and must be removed after the event without leaving permanent damage, see NOR Addendum A1.6.
4	General	Question	Are electronic compasses allowed?
		Answer	Yes, provided class rules are complied with.
5	General	Question	Is it possible to use a marker to make different signs if at the end of the regatta we clean it up?
		Answer	No, see NOR Addendum A1.6.
6	General	Question	Is it possible to change the spreader's angle, shroud tension or adjust the mast rake?
		Answer	Yes. All equipment designed to be adjusted may be adjusted, provided class rules are complied with.
7	General	Question	Is it possible to put elastic rope in the trapeze wire?
		Answer	Yes. Elastic rope (shockcord or bungee) may be use anywhere in the boat. See NOR Addendum A1.5.
8	420	Question	May competitors use their own jib luff wire?
		Answer	No. See NOR Addendum A1.2.
9	420	Question	Will competitors be able to place a PVC tube that has numbers written on it over the vang rope?
		Answer	No.

10	420	Question	Will the sailors be permitted to change the leg strap position by using fittings that do not require drilling holes?
		Answer	No.
11	420	Question	May competitors use a small ball at the end of the spinnaker halyard?
		Answer	No.
12	420	Question	Is it allowed to use a fitting made of plastic/wood in the spreaders/shrouds to prevent the spinnaker halyard going around the shrouds?
		Answer	Yes, this changes NOR Addendum A.
13	29er	Question	Can competitors remove the footstraps?
		Answer	Yes
14	29er	Question	Can the competitors put one extra loop on the jib sheet?
		Answer	Yes. Complying with the Class Rules.
15	29er	Question	Can the centreboard be packed to create a firm fit of the centreboard?
		Answer	See answer to question 3.
16	29er	Question	Is it allowed to use a wedge under the mast?
		Answer	Boats will be supplied with wedges.
17	29er	Question	Can we keep the supplied tiller extension as a spare?
		Answer	No. If you use your own tiller extension, the boat is considered to be supplied without tiller extension. Putting a spare tiller extension in the boom is an addition to the supplied equipment.
18	29er	Question	Are we allowed to change between twin tillers and single tillers during the regatta?
		Answer	Yes.
19	29er	Question	Are we allowed to change the wedges during the regatta?
		Answer	No, see 29er Class Rules C.7.1 (i)
20	29er	Question	Are we allowed to attach the jib at the very first hole of the steam head in Front of the forestay?
		Answer	No.
21	ILCA6	Question	May competitors use their own line for the adjustment of the hiking straps?
		Answer	Yes, see NOR Addendum A2.1.
22	ILCA6	Question	May competitors use their own hiking strap?
		Answer	No.

23	Nacra 15	Question	Shroud adjusters will be Stay-Master?
		Answer	No, it is blue wave pins and adjustable.
24	Nacra 15	Question	Are we allowed to tie the jib sheet to the sidestay?
		Answer	Yes.
25	Nacra 15	Question	Are we allowed to adjust rudder rake?
		Answer	No. If you want to change the rudder rake you have to change the rubber for a smaller or bigger rubber. That's an alteration of the equipment and therefore not allowed.
26	Nacra 15	Question	Are you allowed to have the downhaul around the shrouds?
		Answer	Yes, provided the class rules are complied with.
27	Nacra 15	Question	Can we alter rudder rake, adjusting the top rudder bolt in or out?
		Answer	No, see answer to question 25.
28	Nacra 15	Question	What is the dolphin stricker measurement set to? Can we adjust the dolphin striker within a range?
		Answer	See Nacra 15 Class Rules C.9.2
29	Nacra 15	Question	Is there range restrictions for adjustment of the spreaders, side-stays, fore-stay?
		Answer	Yes for side-stays (shrouds) and fore-stay - allowed by Nacra Class Rules C.10.3 a) (i)
30	General	Question	What is the process when there is damage or loss of supplied equipment on the water?
		Answer	If there is damage or loss of supplied equipment, the competitor shall approach the equipment boat on the course or any race committee vessel and inform about the issue as soon as reasonably possible. Every effort will be made to repair/replace the equipment in time for the next race. When the damage or loss occurs in a shared boat during the first shift, it is even more important to inform the equipment boat promptly.
31	Nacra	Question	Can we move the kite halyard bungee under the boat as it is on top.
		Answer	No, se class rule C.10.7 (b) (i)
32	420	Question	Can sailors make their own rope adjuster system to change the height of the jib from their own line.
		Answer	Yes. You can use your own rope or the equipment supplier can provide it.
33	420	Question	Notice of race A3.1 allows sailors to use their own trapeze wires (all in accordance with the specification of the class rules). Class rule F.5.1.2 allows for trapeze line. Can sailors at this event be able to use either trapeze line or wire as stated under the class rules?
		Answer	Yes, when sailor uses their own trapeze wires. Starting 1 December 2023, the trapeze line material is optional.
34	General	Question	Can we use the radio for communication between the regattas?
		Answer	No. It is neither personal equipment nor an equipment allowed by NOR A1.5

35	IQFOiL Youth & Junior	Question	In the IQFOiL class, can we use our titanium screw?
		Answer	No. According with NOR Ademdum A.5.1
36	Nacra	Question	Can be added an approximate 25cm long diameter 4 deenema on the spinnaker sheet to facilitate the connection of the sheet on the spinnaker ?
		Answer	No. According with NOR Ademdum A.5.1
37	Nacra	Question	Can we use a small rope to unlock the rudder sistem and put up the rudders without risk to break the tiller arm?
		Answer	Yes.
38	Nacra	Question	Swap the ring to block in the gennaker halyard
		Answer	No. According with NOR Ademdum A.5.1